

AMENDED

APPLICATION FOR PERMIT

Serial No. 7819

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office JUL 14 1926
Returned to applicant for correction JUL 20 1926
Corrected application filed AUG 19 1926

The undersigned Dayton Syndicate Inc.
of Dayton, County of Lyon, State of Nevada, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.) Incorporated, April 10, 1925, Carson City, Nev.

- 1. The source of the proposed appropriation is Carson River
2. The amount of water applied for is 10 miners in. or 0.25 second-feet.
3. The water to be used for milling
4. The water is to be diverted from its source at the following point: SE 1/4 NW 1/4 and W 1/2 SW 1/4 NE 1/4 of Sec. 5, T. 15 N., R. 22 E., MDB&M. Point of intake SW 1/4 SW 1/4 NE 1/4 Sec. 5

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is
(b) Description of land to be irrigated
(c) Irrigation will begin about January 1st and end about December 31st, of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is horsepower.
(e) Works to be located W 1/2 of S.W. quarter of N.E. quarter, Sec. 5, T. 16N, R. 22E, M.D. B&M.
(f) Point of return of water to stream within 100 feet of intake
(g) Remarks This water is to be settled in large prepared basin and returned to river clear, less evaporation.

DESCRIPTION OF PROPOSED WORKS

To be taken from river thru centrifugal pump and appropriate con-  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water  
nections, into elevated storage tank, thence to various points of  
is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.  
use.

- 5. Estimated cost of works \$500.00
- 6. Estimated time required to construct works one month
- 7. Remarks

For use of applicant

Dayton Syndicate, Inc. , Applicant.  
By Fredk. F. Brush, Chief Engineer

Compared L. L. M. S.  
Ruling #1663, dtd. 1/23/70  
This sheet inspected

, Engineer.

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application,  
deny  
and do hereby ~~grant~~ the same, subject to the following limitations and  
conditions:  
on the grounds that the applicant has failed to submit the informa-  
tion requested, and the approval of this application without the informa-  
tion requested would be detrimental to the public welfare.

The amount of water to be appropriated shall be limited to the amount  
which can be applied to beneficial use, and not to exceed  
cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or  
before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial  
use must be filed with State Engineer on or before

WITNESS MY HAND AND SEAL this 23rd day  
of January 1970

*Richard D. Thompson*  
State Engineer.